EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|---|---|---------------------|---------|---------------------|
| L1 | 3 | Paypal.as. and @pd>"20091101" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2010/05/25 13:02 |
| S2 | 12 | "Wilf, Saar".in. and "Shaked, Shvat".in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 17:58 |
| S4 | 4449 | (@ad<"20040109" or @rlad<"20040109") and 709/227.cds. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:04 |
| S7 | 254 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and (detect\$4 or determin\$4) near2 (relay or relayed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:05 |
| S8 | 232 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and (detect\$4 or determin\$4) near2 relay | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:08 |
| S9 | 19 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect \$4 or determin\$4) near2 relay).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:08 |
| S10 | 44 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect \$4 or determin\$4) near5 relay).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:10 |
| S14 | 36 | (@ad<"20040109" or @rlad<"20040109") and ((detect\$4 or determin\$4 or discover\$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or routed) near10 (relay adj device)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:13 |

| S16 | 3 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect \$4 or determin\$4 or discover \$4) near5 (relay adj device)). ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:14 |
|-------------|-----|---|---|----|----|---------------------|
| S19 | 56 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect \$4 or determin\$4 or discover \$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or routed) near10 ((relay adj device) or ((relay or SOCKS or HTTP or open) adj proxy) or relay)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:21 |
| S20 | 4 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect \$4 or determin\$4 or discover \$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or rout\$4) near10 ((relay adj device) or (open adj proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:22 |
| S2 5 | 44 | (@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4. ccls.) and ((open adj proxy) or ((traffic or device) adj relay)) near5 (use or using or rout\$4 or sending or send or through) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:45 |
| S26 | 4 | (@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4. ccls.) and ((detect\$4 or determin\$4 or discover\$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or rout\$4) near10 ((relay adj device) or (open adj proxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:46 |
| S27 | 302 | (@ad<"20040109" or @rlad<"20040109") and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject \$4 or block\$4) near8 ((open adj proxy) or ((relay or relayed) adj (traffic or device))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:49 |

| S28 | 20 | (@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4. ccls.) and (disallow\$4 or prohibit\$4 or ("not" adj allow \$4) or reject\$4 or block\$4) near8 ((open adj proxy) or ((relay or relayed) adj (traffic or device))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:49 |
|------|-----|--|---|----|----|---------------------|
| S30 | 38 | (@ad<"20040109" or @rlad<"20040109") and "726"/\$5.cds. and ((open adj proxy) or (relay adj device)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/03 18:54 |
| S32 | 584 | (@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4. ccls.) and (disallow\$4 or prohibit\$4 or ("not" adj allow \$4) or reject\$4 or block\$4 or detect\$4 or determin\$4 or drop\$4) near8 (((open or SOCKS) adj (proxy or prox \$4)) or ((relay or relayed or prox\$5) near2 (traffic or device or order or packet))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 10:48 |
| S34 | 14 | S32 and (originat\$4 or "from" or "sent by") near4 (common or "same" or identical or match\$4 or single or different or multiple) near3 (device or computer or location or address or host or requestor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 10:50 |
| \$35 | 18 | \$32 and (originat\$4 or "from" or "sent by" or (relat \$4 adj to)) near6 (common or "same" or identical or match\$4 or single or different or multiple) near3 (device or computer or source or location or address or host or requestor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 11:01 |

| S38 | 3254 | (@ad<"20040109" or @rlad<"20040109") and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject \$4 or block\$4 or detect\$4 or determin\$4 or drop\$4) near8 (((open or SOCKS) adj (proxy or proxied or proxies)) or ((relay or relayed or proxy or proxied or proxies) near2 (traffic or device or order or packet))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 |
|-----|------|---|---|----|----|---------------------|
| S39 | 33 | S38 and (originat\$4 or "from" or "sent by" or (relat \$4 adj to)) near6 (common or "same" or identical or match\$4 or single or different or multiple) near3 (device or computer or source or location or address or host or requestor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 11:21 |
| S46 | 4 | (@ad<"20050109" or @rlad<"20050109") and ((((open or traffic or data or packet or order or SOCKS) adj (proxy or proxies)) or (relay adj device) or (relayed adj (traffic or data or packet or order))) near5 (detect\$4 or discover\$4 or uncover\$4 or determin\$4)) and ((prevent\$4 or lower\$4 or avoid\$4) near5 (spam or ((online or internet or www or web) near2 (scame or fradulent or fraud)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 |
| S47 | 681 | (@ad<"20050109" or @rlad<"20050109") and ((((open or traffic or data or packet or order or SOCKS) adj (proxy or proxies)) or (relay adj device) or (relayed adj (traffic or data or packet or order))) near5 (detect\$4 or discover\$4 or uncover\$4 or determin\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 11:36 |
| S48 | 158 | S47 and (different or (("not" or "aren't" or "didn't") near5 ("same" or common or single))) near5 (origin or sender or source or device) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ÓN | 2009/11/04 11:47 |

| S51 | 8271 | (@ad<"20040109" or @rlad<"20040109") and (detect\$4 or discover\$4 or prohibit\$4 or disallow\$4 or allow\$4 or drop\$4 or reject \$4 or determin\$5) near5 (potential or device or traffic or data or using or use or routed or routing) near5 (relay or "relay device" or proxy or "SOCKS proxy" or "HTTP proxy" or NAT or "network address translation") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 12:07 |
|-----|------|--|---|----|----|---------------------|
| S55 | 18 | (@ad<"20040109" or @rlad<"20040109") and (detect\$4 or discover\$4 or prohibit\$4 or disallow\$4 or allow\$4 or drop\$4 or reject \$4 or determin\$5) near5 (potential or device or traffic or data or using or use or routed or routing) near5 (relay or "relay device" or proxy or "SOCKS proxy" or "HTTP proxy" or NAT or "network address translation") same ((compar \$4 near5 (origin or originating or source or originate)) or ((TTL or (time adj to adj live)) adj value) or "x-forwarded-for") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 |
| S56 | 43 | Paypal.as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 12:14 |
| S57 | 3 | Paypal.as. and (prox\$4 or relay\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 12:15 |
| S59 | 50 | (unlikely or (("isn't" or "not") adj (likely or probabl\$4 or feasibl\$4)) or unprobab\$4 or unfeasibl\$4) with (relat\$4 or originat\$4 or tied or "from" or "sent by") with (single or common or "same" or "one") with (device or user or computer) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 12:18 |

| S60 | 30 | (@ad<"20040109" or @rlad<"20040109") and compar\$4 near5 TTL adj value | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 12:23 |
|-----|----|--|---|----|----|---------------------|
| S66 | 2 | (@ad<"20040109" or @rlad<"20040109") and (HTTP adj (proxy or relay or gateway)) with ICMP | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 14:30 |
| S69 | 1 | (@ad<"20050109" or @rlad<"20050109") and layer near8 ((("aren't" or "don't" or "not" or fail\$4) near5 (agree\$4 or match\$4 or coincid\$5)) or mismatch \$4 or disagre\$5) same (spoof \$4 or unauthroiz\$4 or proxied or relayed) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 14:45 |
| S70 | 14 | (@ad<"20040109" or @rlad<"20040109") and ((http or ftp or icmp) with (TCP or IP) with (mismatch \$4 or ("not" near3 match \$4))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 14:56 |
| S71 | 82 | (@ad<"20040109" or @rlad<"20040109") and ((http or ftp or icmp) with (TCP or IP) with (mismatch \$4 or ("not" near3 match\$4) or consisten\$5 or ((multiple or many or single) near3 (source or origin or send \$4)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 15:05 |
| S72 | 37 | (@ad<"20040109" or @rlad<"20040109") and ((HTTP adj layer) with (TCP adj layer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 15:08 |
| S73 | 37 | (@ad<"20040109" or @rlad<"20040109") and source near2 address near8 mismatch\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 15:14 |
| S79 | 2 | (@ad<"20050109" or @rlad<"20050109") and "5708654".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 15:27 |

| S82 | 2 | (@ad<"20050109" or @rlad<"20050109") and x- mailer same proxy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 16:42 |
|------|-----|--|---|----|----|---------------------|
| S84 | 215 | (@ad<"20050109" or @rlad<"20050109") and ((x- mailer date or received) near2 (header)) with (proxy or relay\$2 or spoof) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 16:44 |
| S86 | 7 | (@ad<"20050109" or @rlad<"20050109") and ((x-mailer or user-agent or ((date or received) near3 "822")) near2 header) with (proxy or relay\$2 or spoof) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 16:46 |
| S87 | 15 | "Wilf, Saar".in. or "Shaked, Shvat".in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 16:48 |
| S91 | 36 | (@ad<"20040109" or @rlad<"20040109") and detect\$4 near5 (proxy or SOCKS relay or NAT or tap or "network tap") with (ping or "response time") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 17:22 |
| S95 | 134 | (@ad<"20040109" or @rlad<"20040109") and round adj trip near5 time near2 (gap or chang\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 17:53 |
| S101 | 1 | (@ad<"20040109" or @rlad<"20040109") and ((round adj trip) or RTT) near5 time near2 (gap or chang\$4 or variable or flux \$5) with (maliciou\$4 or attack or ddos or proxy or nat or relay) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 17:55 |
| S102 | 1 | (@ad<"20040109" or @rlad<"20040109") and (detect\$4 or determin\$4 or alarm) with ((denial adj "of" adj service) or ddos or attack) with (rtt or (round adj trip adj time)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 18:00 |
| S103 | 10 | (@ad<"20040109" or @rlad<"20040109") and ((rtt adj gap) or round adj trip near2 gap) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 18:01 |

| S107 | 82 | (@ad<"20040109" or @rlad<"20040109") and (round adj trip adj time) near3 (high or spik\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 18:05 |
|------|-----|--|--|----|----|---------------------|
| S118 | 98 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$5.ccls. and (detect\$4 near5 spoof\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 19:03 |
| S119 | 7 | (@ad<"20040109" or @rlad<"20040109") and "709"/\$5.cds. and (detect\$4 near5 spoof\$3).ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/04 19:03 |
| S122 | 9 | "NPX Technologies".as. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/11/05 14:20 |
| S124 | 0 | "Wilf, Saar".in. and "Shaked, Shvat".in. and @pd>"20091101" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:09 |
| S125 | 41 | (@ad<"20040109" or @rlad<"20040109") and "726"/\$5.cds. and ((open adj proxy) or (relay adj device)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:10 |
| S126 | 240 | (@ad<"20040109" or @rlad<"20040109") and 709/227.ccls. and @pd>"20091101" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:10 |
| S128 | 46 | ((DNS near2 (request or query or message)) near5 trigger\$4) | US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:11 |
| S129 | 6 | ((DNS near2 (request or query or message)) near5 trigger\$4) same (relay or proxy or spoof\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:11 |
| S137 | 3 | (detect\$4 near5 (relay or proxy or nat)) same monitor \$4 near5 dns | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/05/24 16:19 |

| S143 | 5 | ((detect\$4 or discover\$4) near5 (relayed or relay or relaying)) and (trigger\$4 or instigat\$4) with (dns or "domain name") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2010/05/24 16:42 |
|------|----|---|---------------------------------|----|----|---------------------|
| S144 | 26 | ((detect\$4 or discover\$4) near5 (relayed or relay or relaying or prox\$4 or spoof\$ \$)) and (trigger\$4 or instigat \$4) with (dns or "domain name") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2010/05/24 16:43 |
| S147 | 36 | ((detect\$4 or discover\$4) near5 (relayed or relay or relaying or prox\$4 or spoof\$ \$)) and (trigger\$4 or instigat \$4 or intercept\$4 or monitor \$4) near5 (dns or "domain name") near3 (query or request or message) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2010/05/24 16:44 |

5/25/2010 1:03:24 PM

C:\ Documents and Settings\ jmacilwinen\ My Documents\ EAST\ Workspaces\ 585517.wsp